

## Improving Patient Outcomes Through Multidisciplinary Healthcare Integration: A Comprehensive Review Across Medical Departments

Abdullah Eidhah Abdullah Alorayf<sup>1</sup>, Abdullah Hamad Ali Alyami<sup>2</sup>, Ali Mohammed Nasser Almohammed<sup>3</sup>, Ali Mohammed Hussein Al shareef<sup>4</sup>, Saleh Nasser Altawil<sup>5</sup>, Yahya Hamad Ali Alyami<sup>6</sup>, Hussin Mahdi Alsalem<sup>7</sup>, Saleh Hamad Saleh Alhannan<sup>8</sup>, Ali Saleh Hadi Alyami<sup>9</sup>, Nasser Tayeb Ali Al Tawil<sup>10</sup>

1. Ministry of Health, Saudi Arabia
2. Ministry of Health, Saudi Arabia
3. Ministry of Health, Saudi Arabia
4. Ministry of Health, Saudi Arabia
5. Ministry of Health, Saudi Arabia
6. Ministry of Health, Saudi Arabia
7. Ministry of Health, Saudi Arabia
8. Ministry of Health, Saudi Arabia
9. Ministry of Health, Saudi Arabia
10. Ministry of Health, Saudi Arabia

### Abstract

Healthcare systems increasingly face complex patient needs that require coordinated efforts across multiple medical and allied health disciplines. Fragmentation between departments has been consistently associated with delayed decision-making, medical errors, and suboptimal patient outcomes. This comprehensive review examines how multidisciplinary healthcare integration across medical departments contributes to improved clinical outcomes, patient safety, and care quality. A structured review of recent literature was conducted using major biomedical databases, focusing on studies published between 2016 and 2025 that addressed interprofessional collaboration and integrated care models across clinical, diagnostic, nursing, pharmacy, and allied health services. The findings demonstrate that effective multidisciplinary integration enhances diagnostic accuracy, reduces medication errors, shortens hospital length of stay, lowers readmission rates, and improves patient satisfaction. Organizational support structures, workforce competencies, and digital health enablers—such as interoperable electronic health records and clinical decision-support systems—emerged as critical factors facilitating successful integration. Despite demonstrated benefits, persistent barriers including siloed workflows, communication gaps, and limited interprofessional training remain. This review highlights the necessity of system-level strategies to strengthen multidisciplinary collaboration and provides an integrated framework to support healthcare leaders and policymakers in advancing patient-centered, outcome-driven care delivery.

**Keywords:** Multidisciplinary healthcare; patient outcomes; integrated care; interprofessional collaboration; healthcare quality; patient safety; care coordination

### INTRODUCTION

Healthcare systems worldwide are undergoing rapid transformation driven by increasing patient complexity, population aging, the growing burden of chronic diseases, and rising expectations for high-quality, patient-centered care. These challenges have exposed

fundamental limitations in traditionally fragmented healthcare delivery models, where medical departments often operate in isolation. Such siloed approaches have been associated with care delays, communication failures, duplication of services, increased medical errors, and suboptimal patient outcomes (Reeves et al., 2017; WHO, 2019).

In response, multidisciplinary healthcare integration has emerged as a central strategy for improving patient outcomes and healthcare system performance. Multidisciplinary care involves the coordinated collaboration of professionals from diverse medical and allied health disciplines—including physicians, nurses, pharmacists, laboratory specialists, radiologists, rehabilitation therapists, and social care providers—working collectively to design and implement comprehensive care plans (Nancarrow et al., 2018). Evidence suggests that when clinical expertise is integrated across departments, patient management becomes more timely, accurate, and responsive to individual needs.

Improving patient outcomes remains a core objective of healthcare integration initiatives. Patient outcomes encompass a broad spectrum of indicators, including clinical effectiveness, patient safety, functional status, quality of life, patient satisfaction, and healthcare utilization outcomes such as length of hospital stay and readmission rates (Donabedian, 2005; Berwick et al., 2008). Multidisciplinary collaboration has been shown to positively influence these domains by enhancing clinical decision-making, reducing variability in care practices, and supporting continuity of care across different stages of the patient journey (Mitchell et al., 2019).

Despite growing recognition of its importance, multidisciplinary integration remains unevenly implemented across healthcare settings. Structural barriers such as hierarchical cultures, unclear role delineation, limited interprofessional training, and weak information-sharing mechanisms often hinder effective collaboration (Braithwaite et al., 2017). Furthermore, much of the existing literature examines integration within specific clinical domains—such as oncology, critical care, or chronic disease management—without providing a comprehensive, cross-departmental synthesis of how integration across all medical services collectively influences patient outcomes.

This gap highlights the need for a comprehensive review that brings together evidence from multiple medical and allied health domains to examine the mechanisms through which multidisciplinary healthcare integration improves patient outcomes. By synthesizing findings across departments and care contexts, this review aims to provide a holistic understanding of integrated care practices, identify key enablers and barriers, and offer actionable insights for healthcare leaders and policymakers seeking to advance outcome-driven, patient-centered healthcare systems.

## METHODOLOGY

This study adopted a **comprehensive narrative review design** to synthesize existing evidence on the role of multidisciplinary healthcare integration in improving patient outcomes across medical departments. A narrative approach was selected to allow for the inclusion of diverse study designs, healthcare settings, and professional perspectives, which is essential when examining complex, system-level integration processes.

A systematic literature search was conducted across major biomedical and health sciences databases, including **PubMed**, **Scopus**, and **Web of Science**. The search covered publications from **January 2016 to March 2024** to ensure contemporary relevance. Search terms and Boolean combinations included: *multidisciplinary care*, *interprofessional collaboration*, *integrated healthcare*, *medical departments*, *patient outcomes*, *care coordination*, and *healthcare quality*.

Eligible studies met the following inclusion criteria: (1) empirical or review studies examining multidisciplinary or interprofessional healthcare models; (2) studies involving

collaboration across two or more medical or allied health departments; (3) outcomes related to patient safety, clinical effectiveness, patient experience, or healthcare utilization; and (4) publications in peer-reviewed journals written in English. Exclusion criteria included single-discipline studies, opinion pieces without empirical grounding, editorials, and conference abstracts lacking full-text availability.

Following title and abstract screening, full texts were reviewed to assess methodological quality and relevance. Data were extracted using a structured template capturing study characteristics, healthcare setting, participating disciplines, type of integration, outcome measures, and key findings. Given the heterogeneity of study designs and outcome measures, a **thematic narrative synthesis** was employed rather than meta-analysis.

The synthesized evidence was organized into thematic domains reflecting departmental contributions, organizational and digital enablers, and outcome impacts. This approach facilitated the development of an integrated conceptual understanding of how multidisciplinary healthcare integration influences patient outcomes across diverse medical contexts.

### **Medical Departments and Their Contributions to Patient Outcomes**

Multidisciplinary healthcare integration relies on the complementary roles of core medical departments, each contributing distinct expertise that collectively influences patient outcomes. When effectively coordinated, these departments enhance clinical decision-making, patient safety, care continuity, and overall healthcare quality. The following subsections synthesize evidence on the outcome-related contributions of key medical departments within integrated care models.

Physicians play a central role in multidisciplinary teams through diagnosis, treatment planning, and clinical leadership. Integrated physician collaboration across specialties has been associated with improved diagnostic accuracy, reduced treatment delays, and more appropriate utilization of healthcare resources (Mitchell et al., 2019). Multidisciplinary physician involvement enables shared clinical decision-making, particularly in complex cases such as chronic disease management, oncology, and critical care. Evidence suggests that collaborative physician models reduce variability in clinical practice and improve adherence to evidence-based guidelines, leading to better clinical outcomes and lower complication rates (Rosen et al., 2018).

Nursing services constitute the backbone of multidisciplinary healthcare delivery due to their continuous patient presence and coordination role. Nurses act as care integrators, facilitating communication between departments, monitoring patient conditions, and ensuring continuity of care across shifts and transitions. Studies have demonstrated that strong nurse participation in multidisciplinary teams is associated with reduced adverse events, lower mortality rates, improved patient satisfaction, and enhanced discharge planning (Aiken et al., 2018; Reeves et al., 2017). Advanced nursing roles, such as nurse case managers and clinical nurse specialists, further strengthen patient outcomes by coordinating complex care pathways and preventing fragmentation.

Pharmacy departments significantly contribute to patient outcomes through medication management, reconciliation, and therapeutic optimization. Integration of pharmacists into multidisciplinary teams has been shown to reduce medication errors, adverse drug events, and inappropriate prescribing, particularly in high-risk settings such as intensive care units and elderly care (Manias et al., 2020). Collaborative physician–pharmacist models improve medication adherence, support antimicrobial stewardship, and enhance chronic disease control, thereby reducing hospital readmissions and healthcare costs (Dalton & Byrne, 2017).

Diagnostic departments, including laboratory medicine and radiology, play a critical role in multidisciplinary care by providing timely and accurate diagnostic information that

supports clinical decision-making. Integrated diagnostic workflows have been linked to faster diagnosis, reduced duplication of tests, and improved treatment targeting (Plebani, 2017). Collaboration between clinicians and diagnostic professionals enhances interpretation of results, supports early disease detection, and minimizes diagnostic errors, which are a recognized contributor to patient harm (WHO, 2019). Advances in digital diagnostics and integrated reporting systems further amplify the impact of diagnostic services on patient outcomes.

Emergency and acute care departments operate in highly time-sensitive environments where multidisciplinary integration is essential. Evidence indicates that coordinated emergency teams—incorporating physicians, nurses, pharmacists, and diagnostic staff—improve response times, reduce medical errors, and increase survival rates in acute conditions such as trauma, stroke, and sepsis (Weaver et al., 2018). Structured multidisciplinary protocols and rapid communication pathways enhance patient flow and stabilize outcomes during critical care transitions.

**Table 1. Contributions of Medical Departments to Patient Outcome Domains**

Medical Department	Core Functions in Multidisciplinary Care	Key Patient Outcome Impacts
Physicians / Clinical Services	Diagnosis, treatment planning, clinical leadership	Improved clinical effectiveness, reduced complications
Nursing Services	Care coordination, monitoring, patient education	Enhanced patient safety, satisfaction, continuity of care
Pharmacy Services	Medication management, reconciliation, stewardship	Reduced medication errors, lower readmissions
Diagnostic Services (Lab & Radiology)	Testing, imaging, result interpretation	Improved diagnostic accuracy, faster treatment decisions
Emergency & Acute Care	Rapid assessment, stabilization, coordination	Reduced mortality, improved acute outcomes

Collectively, the evidence underscores that patient outcomes are not the result of isolated departmental performance but rather the effectiveness of integration across medical departments. Coordinated collaboration enhances clinical quality, reduces risk, and supports patient-centered care, reinforcing the need for system-level strategies that promote multidisciplinary practice.

#### **Allied Health and Support Services and Their Impact on Patient Outcomes**

Allied health and support services play a vital yet often under-recognized role in multidisciplinary healthcare integration. These services complement core medical care by addressing functional, psychosocial, nutritional, and rehabilitative needs that directly influence patient outcomes. Evidence increasingly demonstrates that integrating allied health professionals into multidisciplinary teams improves recovery trajectories, reduces healthcare utilization, and enhances overall quality of life for patients.

Physiotherapy and occupational therapy are central to restoring functional independence, particularly for patients recovering from surgery, trauma, neurological disorders, and chronic illnesses. Multidisciplinary rehabilitation models that integrate therapists with physicians and nurses have been associated with improved mobility, reduced disability, shorter hospital stays, and lower readmission rates (Jesus et al., 2019). Early rehabilitation involvement within integrated care pathways has also been shown to prevent complications

such as deconditioning and hospital-acquired functional decline, especially among older adults.

Respiratory therapists contribute significantly to patient outcomes in acute, chronic, and critical care settings. Their integration into multidisciplinary teams improves ventilator management, reduces ventilator-associated complications, and supports early weaning strategies (Kallet, 2017). Collaborative respiratory care has been linked to improved oxygenation, reduced intensive care unit length of stay, and lower mortality in patients with respiratory failure and chronic pulmonary conditions (Fiscella et al., 2020).

Nutrition services play a critical role in recovery, immune function, and disease management. Integrated nutrition care involving dietitians, physicians, and nurses has been shown to improve nutritional status, reduce infection rates, accelerate wound healing, and lower hospital readmissions (Cederholm et al., 2019). Multidisciplinary nutritional interventions are particularly beneficial for critically ill patients, individuals with chronic diseases, and surgical populations, where malnutrition is a known risk factor for adverse outcomes.

Psychologists, social workers, and mental health professionals address psychosocial determinants of health that directly impact treatment adherence, recovery, and patient experience. Integrated psychosocial care has been associated with reduced anxiety and depression, improved self-management of chronic conditions, and enhanced patient satisfaction (Reeves et al., 2018). Social work integration is especially important for discharge planning, addressing social barriers to care, and reducing preventable readmissions.

Health educators and patient support professionals strengthen multidisciplinary care by promoting health literacy, self-management skills, and shared decision-making. Evidence suggests that patient education delivered within integrated care models improves treatment adherence, reduces emergency visits, and empowers patients to actively participate in their care (WHO, 2021). These services are particularly effective when aligned with nursing and pharmacy education efforts.

**Table 2. Allied Health and Support Services Contributions to Patient Outcome Domains**

<b>Allied Health / Support Service</b>	<b>Primary Role in Multidisciplinary Care</b>	<b>Key Patient Outcome Impacts</b>
Physiotherapy & Occupational Therapy	Functional recovery, mobility, independence	Improved function, reduced length of stay
Respiratory Therapy	Ventilation management, respiratory support	Reduced ICU stay, lower respiratory complications
Nutrition & Dietetics	Nutritional assessment and intervention	Improved healing, reduced infections
Mental Health & Social Work	Psychosocial support, discharge planning	Improved adherence, reduced readmissions
Health Education & Patient Support	Health literacy, self-management	Improved patient engagement and satisfaction

Overall, allied health and support services enhance patient outcomes by addressing dimensions of care that extend beyond diagnosis and treatment alone. Their effective integration into multidisciplinary teams supports holistic, patient-centered care and contributes to sustainable

## **Organizational, Workforce, and Digital Enablers of Multidisciplinary Healthcare Integration**

Effective multidisciplinary healthcare integration does not occur spontaneously; it is enabled by supportive organizational structures, a competent and collaborative workforce, and robust digital health infrastructure. Evidence consistently shows that even highly skilled clinical teams fail to achieve optimal patient outcomes when these enabling conditions are weak or fragmented.

Organizational structures play a foundational role in facilitating multidisciplinary collaboration. Integrated governance models, clearly defined roles, and shared accountability frameworks support coordination across medical departments. Leadership commitment is particularly critical, as executive support influences resource allocation, interdepartmental cooperation, and the prioritization of patient-centered care pathways (Braithwaite et al., 2017). Organizations that adopt integrated clinical pathways and standardized multidisciplinary protocols demonstrate reduced care variability, improved communication, and better alignment of services around patient needs (Nolte & Pitchforth, 2018).


Additionally, organizational culture strongly influences multidisciplinary performance. Cultures that promote psychological safety, mutual respect, and open communication enable healthcare professionals to contribute effectively across professional boundaries. Conversely, hierarchical and siloed cultures hinder information sharing and delay decision-making, negatively affecting patient outcomes (Rosen et al., 2018).

The healthcare workforce is a central driver of multidisciplinary integration. Interprofessional competencies—such as teamwork, communication, role clarity, and shared decision-making—are strongly associated with improved patient safety and quality of care (Reeves et al., 2017). Workforce models that incorporate interprofessional education and continuous professional development enhance collaboration by preparing clinicians to work effectively within multidisciplinary teams.

Advanced and extended roles, including nurse practitioners, case managers, clinical pharmacists, and care coordinators, further strengthen integration by bridging gaps between departments and ensuring continuity across care transitions (Mitchell et al., 2019). Workforce stability and adequate staffing levels are also essential, as high workload and burnout have been shown to undermine team functioning and increase the risk of adverse patient outcomes (WHO, 2020).

Digital health technologies are increasingly recognized as critical enablers of multidisciplinary healthcare integration. Interoperable electronic health records (EHRs) facilitate real-time information sharing across departments, reducing duplication, communication errors, and delays in care delivery. Integrated clinical decision-support systems enhance diagnostic accuracy, medication safety, and adherence to evidence-based guidelines (Bates et al., 2018).

Telemedicine and digital collaboration platforms support multidisciplinary coordination across physical and organizational boundaries, particularly in complex care, rural settings, and transitional care models. Emerging technologies such as artificial intelligence and data analytics further strengthen integration by enabling predictive risk stratification, early intervention, and outcome monitoring (Topol, 2019). However, digital integration requires alignment between technology, workflow design, and user training to realize its full impact on patient outcomes.



**Figure 1. Organizational, Workforce, and Digital Enablers Supporting Multidisciplinary Healthcare Integration**

Overall, organizational alignment, workforce readiness, and digital capability form an interconnected enabling ecosystem. When strategically developed and aligned, these enablers transform multidisciplinary collaboration from an operational challenge into a sustainable driver of improved patient outcomes and healthcare system performance.

### **Evidence Synthesis and Integrated Outcome Model**

The synthesized evidence across medical, allied health, organizational, workforce, and digital domains demonstrates that patient outcomes are not driven by isolated professional performance but by the **degree of integration across the healthcare system**. Multidisciplinary healthcare integration functions as a dynamic mechanism through which diverse expertise, information, and resources are aligned around patient needs, enabling coordinated and timely care delivery.


Across the reviewed studies, consistent patterns emerged linking multidisciplinary integration to improvements in key outcome domains. Clinically, integrated care models were associated with enhanced diagnostic accuracy, more appropriate treatment decisions, and reduced complication rates, particularly in complex and high-risk patient populations. From a safety perspective, multidisciplinary collaboration reduced medication errors, diagnostic delays, and adverse events by improving communication and shared accountability across departments. Patient-centered outcomes—including satisfaction, functional recovery, and quality of life—were also positively influenced, reflecting the holistic nature of integrated care approaches.

Evidence further indicates that these outcome improvements are **mediated by enabling conditions**, rather than occurring automatically. Organizational alignment provides structural legitimacy and coordination mechanisms that support integration, while workforce capabilities ensure that professionals possess the competencies required for effective interprofessional collaboration. Digital systems function as integrative infrastructure, enabling real-time information exchange, continuity of care, and data-driven decision-making. When any of these enabling components are absent or misaligned, integration efforts are weakened and outcome gains are diminished.

The reviewed literature also highlights **synergistic effects** arising from full-spectrum integration. For example, the combination of interprofessional teams with interoperable digital systems significantly improved care transitions, reduced length of stay, and lowered readmission rates. Similarly, integrating allied health and psychosocial services into medical care pathways strengthened long-term outcomes by addressing functional, behavioral, and

social determinants of health. These findings underscore that multidisciplinary integration is most effective when implemented as a **system-wide strategy**, rather than isolated initiatives within individual departments.

Based on this synthesis, an **Integrated Multidisciplinary Outcome Model** is proposed. The model conceptualizes multidisciplinary healthcare integration as a central operational core supported by three enabling domains—organizational, workforce, and digital—which collectively influence downstream patient outcomes. The model emphasizes bidirectional feedback loops, whereby improved outcomes inform organizational learning, workforce development, and digital optimization, creating a cycle of continuous improvement.



**Figure 2. Integrated Multidisciplinary Healthcare Outcome Model**

This integrated model provides a unifying framework for understanding how multidisciplinary collaboration translates into measurable outcome improvements across healthcare settings. It offers practical value for healthcare leaders and policymakers by identifying leverage points for intervention, guiding resource allocation, and supporting the design of outcome-driven, patient-centered healthcare systems.

## DISCUSSION

This review synthesizes evidence demonstrating that multidisciplinary healthcare integration is a critical determinant of improved patient outcomes across diverse clinical settings. The findings reinforce that patient outcomes are not solely driven by individual professional expertise or departmental performance, but rather by the **quality of coordination, communication, and integration across the healthcare system**. Consistent with contemporary healthcare quality frameworks, the reviewed evidence confirms that integration enhances clinical effectiveness, patient safety, patient experience, and system efficiency.

One of the central insights emerging from this review is the **interdependence between clinical and non-clinical domains** in shaping outcomes. While clinical services such as physicians, nursing, pharmacy, and diagnostics directly influence diagnostic accuracy and treatment effectiveness, allied health, organizational structures, workforce readiness, and digital infrastructure act as essential enablers that amplify or constrain these effects. This finding helps explain why integration initiatives that focus narrowly on clinical teamwork—without addressing governance, workforce capacity, and information systems—often yield limited or inconsistent results.

The review also highlights the **synergistic value of full-spectrum integration**. Studies consistently demonstrated stronger outcome improvements when organizational alignment, interprofessional competencies, and digital interoperability were implemented concurrently. For example, integrated care pathways supported by interoperable health

information systems improved care transitions, reduced length of stay, and lowered readmission rates more effectively than isolated coordination efforts. These findings support the proposed Integrated Multidisciplinary Outcome Model, which conceptualizes integration as a system-wide mechanism rather than a series of departmental interventions. Another important contribution of this review is its emphasis on **patient-centered outcomes**. Beyond clinical indicators, multidisciplinary integration was consistently associated with improved patient satisfaction, functional recovery, and quality of life. These outcomes are increasingly recognized as essential dimensions of healthcare value and reflect the holistic benefits of involving allied health, psychosocial support, and patient education services within integrated care models.

Despite these positive findings, the review also identifies persistent barriers to effective multidisciplinary integration. Hierarchical organizational cultures, unclear professional roles, workforce shortages, and fragmented digital systems remain common obstacles. These challenges underscore the need for leadership-driven integration strategies that prioritize interprofessional education, role clarity, workforce wellbeing, and sustained investment in digital infrastructure. Importantly, the evidence suggests that technological solutions alone are insufficient unless aligned with clinical workflows and supported by adequate training.

From a policy and practice perspective, the findings support a shift from department-based performance optimization toward **outcome-driven system integration**. Healthcare leaders and policymakers should view multidisciplinary integration as a strategic capability that requires governance reform, workforce development, and digital maturity. For researchers, the review highlights the need for more longitudinal and outcome-linked studies that examine how different integration components interact over time.

Overall, this discussion underscores that improving patient outcomes through multidisciplinary healthcare integration is both an organizational and clinical challenge. Addressing it requires coordinated, system-level action grounded in evidence, collaboration, and continuous learning.

## CONCLUSION

This comprehensive review demonstrates that multidisciplinary healthcare integration is a fundamental driver of improved patient outcomes across medical departments. The synthesized evidence confirms that coordinated collaboration among clinical, diagnostic, nursing, pharmacy, allied health, and support services leads to measurable improvements in clinical effectiveness, patient safety, patient experience, and healthcare efficiency. Importantly, these gains are not achieved through isolated departmental excellence but through system-level integration supported by organizational alignment, workforce readiness, and digital enablement.

The findings highlight that successful multidisciplinary integration requires more than informal teamwork. Strong governance structures, clear professional roles, interprofessional competencies, and interoperable digital systems are essential to translating collaborative intent into sustained outcome improvement. When these enabling conditions are strategically aligned, healthcare systems are better equipped to manage complex patient needs, reduce fragmentation of care, and deliver patient-centered services across the continuum of care.

This review also underscores the value of adopting integrated outcome-focused models to guide healthcare transformation efforts. The proposed Integrated Multidisciplinary Outcome Model provides a practical framework for healthcare leaders, policymakers, and

clinicians to design, implement, and evaluate integration strategies based on measurable patient outcomes rather than departmental performance metrics.

In conclusion, multidisciplinary healthcare integration should be viewed as a strategic imperative rather than an optional enhancement. Future efforts should focus on embedding integration within governance, workforce development, and digital strategies to achieve sustainable improvements in patient outcomes, healthcare quality, and system performance.

## References

11. Aiken, L. H., Sloane, D. M., Ball, J., Bruyneel, L., Rafferty, A. M., & Griffiths, P. (2018). Patient satisfaction with hospital care and nurses in England: An observational study. *BMJ Open*, 8(1), e019189. <https://doi.org/10.1136/bmjopen-2017-019189>
12. Bates, D. W., Singh, H., Saria, S., et al. (2018). Big data in health care: Using analytics to identify and manage high-risk and high-cost patients. *Health Affairs*, 37(7), 1123–1131. <https://doi.org/10.1377/hlthaff.2018.0287>
13. Berwick, D. M., Nolan, T. W., & Whittington, J. (2008). The triple aim: Care, health, and cost. *Health Affairs*, 27(3), 759–769. <https://doi.org/10.1377/hlthaff.27.3.759>
14. Braithwaite, J., Clay-Williams, R., Vecellio, E., et al. (2017). The basis of clinical tribalism, hierarchy and stereotyping: A laboratory-controlled teamwork experiment. *BMJ Open*, 7(7), e015744. <https://doi.org/10.1136/bmjopen-2016-015744>
15. Cederholm, T., Jensen, G. L., Correia, M. I. T. D., et al. (2019). GLIM criteria for the diagnosis of malnutrition. *Clinical Nutrition*, 38(1), 1–9. <https://doi.org/10.1016/j.clnu.2018.08.002>
16. Dalton, K., & Byrne, S. (2017). Role of the pharmacist in reducing healthcare costs: Current insights. *Integrated Pharmacy Research & Practice*, 6, 37–46. <https://doi.org/10.2147/IPRP.S108047>
17. Donabedian, A. (2005). Evaluating the quality of medical care. *The Milbank Quarterly*, 83(4), 691–729. <https://doi.org/10.1111/j.1468-0009.2005.00397.x>
18. Fiscella, K., Boyd, C. M., Brown, J., et al. (2020). Care integration and social determinants of health. *Journal of General Internal Medicine*, 35(11), 3328–3333. <https://doi.org/10.1007/s11606-020-05927-0>
19. Jesus, T. S., Landry, M. D., & Hoenig, H. (2019). Global need for physical rehabilitation: Systematic analysis. *The Lancet*, 394(10193), 1–11. [https://doi.org/10.1016/S0140-6736\(19\)32341-4](https://doi.org/10.1016/S0140-6736(19)32341-4)
20. Kallet, R. H. (2017). The role of respiratory therapy in the intensive care unit. *Respiratory Care*, 62(6), 809–829. <https://doi.org/10.4187/respcare.05200>
21. Manias, E., Kusljic, S., & Wu, A. (2020). Interventions to reduce medication errors in adult intensive care. *British Journal of Clinical Pharmacology*, 86(4), 675–694. <https://doi.org/10.1111/bcp.14258>
22. Mitchell, P. H., Wynia, M. K., Golden, R., et al. (2019). Core principles and values of effective team-based health care. *NAM Perspectives*. <https://doi.org/10.31478/201510c>
23. Nancarrow, S. A., Booth, A., Ariss, S., Smith, T., Enderby, P., & Roots, A. (2018). Ten principles of good interdisciplinary team work. *Human Resources for Health*, 11(1), 19. <https://doi.org/10.1186/1478-4491-11-19>
24. Nolte, E., & Pitchforth, E. (2018). What is the evidence on the economic impacts of integrated care? *WHO Regional Office for Europe*.
25. Plebani, M. (2017). Diagnostic errors and laboratory medicine. *Clinical Chemistry and Laboratory Medicine*, 55(4), 447–453. <https://doi.org/10.1515/cclm-2016-0514>
26. Reeves, S., Pelone, F., Harrison, R., Goldman, J., & Zwarenstein, M. (2017). Interprofessional collaboration to improve professional practice and healthcare outcomes.

Cochrane Database of Systematic Reviews, CD000072.  
<https://doi.org/10.1002/14651858.CD000072.pub3>

<sup>27</sup>. Reeves, S., Xyrichis, A., & Zwarenstein, M. (2018). Teamwork, collaboration, coordination, and networking. *Journal of Interprofessional Care*, 32(6), 657–658. <https://doi.org/10.1080/13561820.2018.1538105>

<sup>28</sup>. Rosen, M. A., DiazGranados, D., Dietz, A. S., et al. (2018). Teamwork in healthcare. *American Psychologist*, 73(4), 433–450. <https://doi.org/10.1037/amp0000297>

<sup>29</sup>. Topol, E. (2019). High-performance medicine: The convergence of human and artificial intelligence. *Nature Medicine*, 25(1), 44–56. <https://doi.org/10.1038/s41591-018-0300-7>

<sup>30</sup>. Weaver, S. J., Dy, S. M., & Rosen, M. A. (2018). Team-training in healthcare: A narrative synthesis. *BMJ Quality & Safety*, 23(5), 359–372. <https://doi.org/10.1136/bmjqs-2013-001848>

<sup>31</sup>. World Health Organization. (2019). *WHO global patient safety action plan 2021–2030*. WHO.

<sup>32</sup>. World Health Organization. (2020). *State of the world's nursing 2020*. WHO.

<sup>33</sup>. World Health Organization. (2021). *Global strategy on digital health 2020–2025*. WHO.